EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	10/518286.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/15 13:47
L13	2	"4766367".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/15 14:10
L14	3	constant current generator same bipolar transistor and (el or electroluminescent or oled or organic light emitting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/15 14:21
L15	64	constant current (source or generator) same bipolar and (el or electroluminescent or oled or organic light emitting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/15 14:24
L16	2	Wilson current mirror same bipolar and (el or electroluminescent or oled or organic light emitting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/15 14:30
L17	84	current mirror same bipolar and (el or electroluminescent or oled or organic light emitting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/15 14:31
L18	6	constant current (source or generator) with minimum near2 voltage and (EL or electroluminescent or oled or organic light emitting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/15 14:46

L19	76	constant current (source or generator) with minimum near2 voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/15 14:49
L20	99	constant current (source or generator) with (lowest or smallest or minimum) near2 voltage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/15 14:49
L21	0	constant current (source or generator) same wilson current mirror and (EL or electroluminescent or oled or organic light emitting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/15 15:01
L22	23	wilson current mirror and (EL or electroluminescent or oled or organic light emitting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/15 15:02
S1	26	(EL or electroluminescent or OLED or organic light emitting diode) with display and (sens$3 or detect$3) with voltage with line with (maximum or max or largest or biggest or greatest or highest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/19 13:14
S2	2	"20050078065".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/19 13:23
S3	2	US-20020021096-$.DID. OR US-20030169220-$.DID.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/19 14:00
S4	2	"5949194".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/19 14:44

S5	2	"7557802".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/19 14:47
S6	6	("20040041756" | "20060261744" | "3753231" | "7208294" | "7248255" | "7348942"). PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/19 14:47
S7	11	("20020021293" | "20020047565" | "20030234755" | "20040041756" | "20040263445" | "20050024298" | "4782340" | "5952789" | "6943759" | "7042427" | "7079092").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/19 14:50
S8	570	(measur$3 or detect$3) with (voltage drop) with (current (generator or source or sink))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/19 14:55
S9	15	(EL or electroluminescent or OLED or organic light emitting diode) with display and (measur$3 or detect$3) with (voltage drop) with (current (generator or source or sink))	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/19 14:56
S10	1	"7561123".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/19 15:45
S11	3	("6545652" | "6617801" | "6922182").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/19 15:45
S12	4	(("20040027057") or ("20040135749") or ("6617801") or ("20030122813")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/19 15:49
S13	4	("5793163" | "6351076" | "6473064" | "6496168"). PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/19 15:50
S14	13	("5793163" | "6351076" | "6473064" | "6496168"). PN. OR ("6617801"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/19 16:41
S15	5	hayafuji.in. and maximum value with forward voltage	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/20 12:44

S16	7	("20040150594" | "20060038501" | "20060055631" | "20060139254" | "20060158393" | "6707438" | "7109955").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/20 12:45
S17	6	("20040041756" | "20060261744" | "3753231" | "7208294" | "7248255" | "7348942").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/20 12:49
S18	64	ishizuka.in. and pioneer.as.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/20 12:50
S19	3	kobayashi.in. and maximum voltage and organic EL	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/20 13:20
S20	0	yoshida.in. and "pioneer.as"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/20 13:20
S21	1165	yoshida.in. and pioneer.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/20 13:21
S22	13	yoshida.in. and pioneer.as. and drop near2 voltage and constant current	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/20 13:21
S23	11627	satoh.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/20 13:29
S24	82	satoh.in. and current control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/10/20 13:30
S25	3	("6545652" | "6617801" | "6922182").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/20 13:32

S26	2	(("6486607") or ("20040233144")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/20 13:35
S27	7	("5844368" | "6201520" | "6229267" | "6310589" | "6351076" | "6369515" | "6376994").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/20 13:44
S28	28	(EL or electroluminescent or OLED or organic light emitting diode) with display and (sens$3 or detect$3) with ((forward or drop) near2 voltage) same constant current	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/20 13:48
S29	59	("4736137" | "4983885" | "5066945" | "5093654" | "5311169" | "5315695" | "5451978").PN. OR ("5594463").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/20 13:50
S30	13	("20020167474" | "20030048243" | "20040150590" | "5594463" | "5796376" | "5805117" | "6310589" | "6337542" | "6369786" | "6376994" | "6414661" | "6486607" | "6747618").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/20 13:54
S31	6	compliance limit with constant current	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/20 15:10
S32	2	"3714374".pn.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/20 15:30
S33	43	knee with constant current	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/10/20 15:32
S34	1	("5949194").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/04 10:38
S35	0	("2003043090").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/04 10:42
S36	1	("20030043090").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/04 10:42
S37	2	(("5594463") or ("6144165")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/04 10:44
S38	1	("20020180721").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/04 10:47
S39	6	(EL or electroluminescent or OLED or organic light emitting diode) and constant current generator with (maximum voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/04 10:58

S40	2	(("6518962") or ("20020126073")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/12/04 11:04
S41	81	("5093654" | "5235253" | "5323408" | "5386179" | "5463279" | "5581159" | "5594463" | "5783909" | "5940058" | "5962845").PN. OR ("6518962").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/12/04 11:07
S42	11	("20030048243" | "20030071804" | "4443741" | "6320325" | "6414661" | "6456016" | "6501230" | "6504565" | "6518962" | "6710548" | "7042427").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/12/04 11:15
S43	5	(EL or electroluminescent or OLED or OEL or organic light emitting diode) and constant current (source or generator) with (compliance) with voltage	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/12/04 11:45
S44	5	(EL or electroluminescent or OLED or OEL or organic light emitting diode) and constant current (source or generator) with (compliance)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/12/04 11:45
S45	33	constant current (source or generator) with (compliance)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/12/04 11:45
S46	7	constant current (generator) with (limit or maximum or threshold) with voltage with (operat$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/12/04 11:47
S47	48	voltage (drop or loss) with (constant current generator)	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/12/04 11:53
S48	1	dynamically with (determin$3 or measur$3 or figur$3) with (compliance limit or operating range or operation range or voltage range) with constant current	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/12/04 12:03

S49	335	dynamically with (determin $3 or measur$3 or test$3 or discover$3 or detect$3 or establish$3 or figur$3) with (compliance limit or operating range or operation range or voltage range or voltage with (operate or operating or operation or constant current))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/07 15:22
S50	13	constant current (source or generator) and dynamically with (determin $3 or measur$3 or test$3 or discover$3 or detect$3 or establish$3 or figur$3) with (compliance limit or operating range or operation range or voltage range or voltage with (operate or operating or operation or constant current))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/07 15:23
S51	1	knee with current near2 voltage with (curve or characteristic) with constant current (generator or source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/07 15:27
S52	216	current near2 voltage with (curve or characteristic) with constant current (generator or source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/07 15:30
S53	58	current voltage with (curve or characteristic) with constant current (generator or source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/07 15:53
S54	31	current voltage (curve or characteristic) with constant current (generator or source)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/07 15:54

EAST Search History (Interference)

< This search history is empty>

12/ 15/ 2009 4:03:48 PM
C:\ Documents and Settings\ awalthall\ My Documents\ EAST\ Workspaces\ 10518286.w sp